Toxicology, 51 (1988) 331–334
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

SUBJECT INDEX

Volume 51 (1988)

acid-base, methyl isocyanate, toxicity, physiology, histopathology, 223
acute, organophosphate, immunotoxicity, cellular, humoral, OSS-TMP, 241
adaptation, inhalation toxicity, formaldehyde, nasal histology, cell turnover, 87
allylamine, benzylamine oxidase (semicarbazide-sensitive amine oxidase), vascular smooth muscle cells, phenelzine, semicarbazide, deprenyl, 133
aluminum, cyclic AMP, cyclic GMP, 299
ammonia, hepatic encephalopathy, ATP, urea cycle enzymes, 2,4-dinitrophenol, CCl_4, 111
anomalies, teratology, stress, maternal toxicity, 57
antiestrogen, estrogen, uterus, development, neonate, rat, 201
antioxidants, nephrotoxicity, cisplatin (Cis-platinum-II-diammine dichloride), lipid peroxidation, gluconeogenesis, *p*-aminohippurate-accumulation, free radical scavengers, 119
antitumor agent, titanocene dichloride, organ distribution, pharmacokinetics, tumor disposition, 291
arsenic, arsenite, Lewisite, toxicity, 213
arsenite, arsenic, Lewisite, toxicity, 213
ATP, ammonia, hepatic encephalopathy, urea cycle enzymes, 2,4-dinitrophenol, CCl_4, 111

benzo[*a*]pyrene, diesel particles, desorption, microsomal metabolism, carbon black, liposomes, 1
benzo[*a*]pyrene, formaldehyde, DNA-protein crosslinks, DNA single-strand breaks, epithelial cells, 309
benzylamine oxidase (semicarbazide-sensitive amine oxidase), allylamine, vascular smooth muscle cells, phenelzine, semicarbazide, deprenyl, 133
bioassays, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents, brominated aromatics, 177
bleomycin, lung, fibrosis, rat, model, 101
brominated aromatics, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents, bioassays, 177

cadmium toxicity, cytochrome *c* oxidase, essential metals, thiols, mitochondria, 25
carbon black, benzo[*a*]pyrene, diesel particles, desorption, microsomal metabolism, liposomes, 1
cats, mercury acetate, subacute poisoning, toxicological monitoring, electroretinography, 67
CCl_4, ammonia, hepatic encephalopathy, ATP, urea cycle enzymes, 2,4,-dinitrophenol, 111
cellular, organophosphate, immunotoxicity, humoral, OSS-TMP, acute, 241
cell turnover, inhalation toxicity, formaldehyde, nasal histology, adaptation, 87
chlordecone, kepone, ovulation, gonadotropins, ovary, 147
chlorpyrifos, organophosphate pesticides, cholinesterase inhibitors, pesticide activation, 191
cholinesterase inhibitors, chlorpyrifos, organophosphate pesticides, pesticide activation, 191
cisplatin (Cis-platinum-II-diammine dichloride), nephrotoxicity, lipid peroxidation, gluconeogenesis, *p*-aminohippurate-accumulation, antioxidants, free radical scavengers, 119
cleft palate, ornithine decarboxylase, mouse, teratology, 3,3′,4,4′-tetrachloroazoxybenzene, 77
components, platelet aggregation, inhibition, rat, crude oil, 35
crude oil, platelet aggregation, inhibition, rat, components, 35

cyclic AMP, aluminum, cyclic GMP, 299
cyclic GMP, aluminum, cyclic AMP, 299
cytochemistry, male mouse, lead, thiols, sperm chromatin, 11
cytochrome *c* oxidase, cadmium toxicity, essential metals, thiols, mitochondria, 25
cytochrome *P*-450, drinking water, mutagenicity, induction, 281

DAGO (D-Ala,*N*-MePhe⁴,Gly-ol⁵)enkephalin, glutathione depression, morphine, ethylketocyclazocine, phencyclidine, DPDPE (D-pen²,D-pen⁵)enkephalin, 267
deprenyl, allylamine, benzylamine oxidase (semicarbazide-sensitive amine oxidase), vascular smooth muscle cells, phenelzine, semicarbazide, 133
desorption, benzo[*a*]pyrene, diesel particles, microsomal metabolism, carbon black, liposomes, 1
development, estrogen, antiestrogen, uterus, neonate, rat, 201
diesel particles, benzo[*a*]pyrene, desorption, microsomal metabolism, carbon black, liposomes, 1
2,4-dinitrophenol, ammonia, hepatic encephalopathy, ATP, urea cycle enzymes, CCl_4, 111
DNA-protein crosslinks, benzo[*a*]pyrene, formaldehyde, DNA single-strand breaks, epithelial cells, 309
DNA single-strand breaks, benzo[*a*]pyrene, formaldehyde, DNA-protein crosslinks, epithelial cells, 309
DPDPE (D-pen²,D-pen⁵)enkephalin, glutathione depression, morphine, ethylketocyclazocine, phencyclidine, DAGO (D-Ala, *N*-MePhe⁴, Gly-ol⁵)enkephalin, 267
drinking water, mutagenicity, cytochrome *P*-450, induction, 281

electroretinography, mercury acetate, subacute poisoning, toxicological monitoring, cats, 67
epithelial cells, benzo[*a*]pyrene, formaldehyde, DNA-protein crosslinks, DNA single-strand breaks, 309
essential metals, cadmium toxicity, cytochrome *c* oxidase, thiols, mitochondria, 25
estrogen, antiestrogen, uterus, development, neonate, rat, 201
ethylketocyclazocine, glutathione depression, morphine, phencyclidine. DAGO (D-Ala,*N*-MePhe⁴,Gly-ol⁵)enkephalin, DPDPE (D-pen²,D-pen⁵)enkephalin, 267

fibrosis, lung, bleomycin, rat, model, 101
formaldehyde, benzo[*a*]pyrene, DNA-protein crosslinks, DNA single-strand breaks, epithelial cells, 309
formaldehyde, inhalation toxicity, nasal histology, cell turnover, adaptation, 87
free radical scavengers, nephrotoxicity, cisplatin (Cis-platinum-II-diammine dichloride), lipid peroxidation, gluconeogenesis, *p*-aminohippurate-accumulation, antioxidants, 119

gluconeogenesis, nephrotoxicity, cisplatin (Cis-platinum-II-diammine dichloride), lipid peroxidation, *p*-aminohippurate-accumulation, antioxidants, free radical scavengers, 119
glutathione, sodium selenite, mice, lethal toxicity, hypothermia, hyperphagia, 167
glutathione depression, morphine, ethylketocyclazocine, phencyclidine, DAGO (D-Ala,*N*-MePhe⁴,Gly-ol⁵)enkephalin, DPDPE (D-pen²,D-pen⁵)enkephalin, 267
gonadotropins, chlordecone, kepone, ovulation, ovary, 147

hepatic encephalopathy, ammonia, ATP, urea cycle enzymes, 2,4-dinitrophenol, CCl_4, 111
histopathology, methyl isocyanate, toxicity, physiology, acid-base, 223
humoral, organophosphate, immunotoxicity, cellular, OSS-TMP, acute, 241
hyperphagia, sodium selenite, glutathione, mice, lethal toxicity, hypothermia, 167
hypothermia, sodium selenite, glutathione, mice, lethal toxicity, hyperphagia, 167

immunotoxicity, organophosphate, cellular, humoral, OSS-TMP, acute, 241
induction, drinking water, mutagenicity, cytochrome *P*-450, 281
inhalation toxicity, formaldehyde, nasal histology, cell turnover, adaptation, 87
inhibition, platelet aggregation, rat, crude oil, components, 35

kepone, chlordecone, ovulation, gonadotropins, ovary, 147

lead, male mouse, thiols, sperm chromatin, cytochemistry, 11
lethal toxicity, sodium selenite, glutathione, mice, hypothermia, hyperphagia, 167
Lewisite, arsenic, arsenite, toxicity, 213

lipid peroxidation, nephrotoxicity, cisplatin (Cis-platinum-II-diammine dichloride), gluconeogenesis, *p*-aminohippurate-accumulation, antioxidants, free radical scavengers, 119
liposomes, benzo[*a*]pyrene, diesel particles, desorption, microsomal metabolism, carbon black, 1
long-term bioassay, tetramethylthiuram disulfide, thiram, rat, 155
lung, fibrosis, bleomycin, rat, model, 101

male mouse, lead, thiols, sperm chromatin, cytochemistry, 11
maternal toxicity, teratology, stress, anomalies, 57
mercury acetate, subacute poisoning, toxicological monitoring, electroretinography, cats, 67
mercury excretion, methylmercury, survival period, tissue accumulation, mouse strain, 47
methemoglobin, photoactivated, nitrofurantoin, 5-nitrofurfural, 5-nitro-2-furoic acid, nitrite, 255
methylmercury, survival period, mercury excretion, tissue accumulation, mouse strain, 47
methyl isocyanate, toxicity, physiology, acid-base, histopathology, 223
mice, sodium selenite, glutathione, lethal toxicity, hypothermia, hyperphagia, 167
microsomal metabolism, benzo[*a*]pyrene, diesel particles, desorption, carbon black, liposomes, 1
mitochondria, cadmium toxicity, cytochrome *c* oxidase, essential metals, thiols, 25
model, lung, fibrosis, bleomycin, rat, 101
morphine, glutathione depression, ethylketocyclazocine, phencyclidine, DAGO (D-Ala,*N*-MePhe^4, Gly-ol^5)enkephalin, DPDPE (D-pen^2,D-pen^5)enkephalin, 267
mouse, cleft palate, ornithine decarboxylase, teratology, 3,3′,4,4′-tetrachloroazoxybenzene, 77
mouse strain, methylmercury, survival period, mercury excretion, tissue accumulation, 47
mutagenicity, drinking water, cytochrome *P*-450, induction, 281

nasal histology, inhalation toxicity, formaldehyde, cell turnover, adaptation, 87
neonate, estrogen, antiestrogen, uterus, development, rat, 201
nephrotoxicity, cisplatin (Cis-platinum-II-diammine dichloride), lipid peroxidation, gluconeogenesis, *p*-aminohippurate-accumulation, antioxidants, free radical scavengers, 119
nitrite, photoactivated, methemoglobin, nitrofurantoin, 5-nitrofurfural, 5-nitro-2-furoic acid, 255
nitrofurantoin, photoactivated, methemoglobin, 5-nitrofurfural, 5-nitro-2-furoic acid, nitrite, 255
5-nitro-2-furoic acid, photoactivated, methemoglobin, nitrofurantoin, 5-nitrofurfural, nitrite, 255
5-nitrofurfural, photoactivated, methemoglobin, nitrofurantoin, 5-nitro-2-furoic acid, nitrite, 255

organophosphate, immunotoxicity, cellular, humoral, OSS-TMP, acute, 241
organophosphate pesticides, chlorpyrifos, cholinesterase inhibitors, pesticide activation, 191
organ distribution, titanocene dichloride, antitumor agent, pharmacokinetics, tumor disposition, 291
ornithine decarboxylase, cleft palate, mouse, teratology, 3,3′,4,4′-tetrachloroazoxybenzene, 77
OSS-TMP, organophosphate, immunotoxicity, cellular, humoral, acute, 241
ovary, chlordecone, kepone, ovulation, gonadotropins, 147
ovulation, chlordecone, kepone, gonadotropins, ovary, 147

p-aminohippurate-accumulation, nephrotoxicity, cisplatin (Cis-platinum-II-diammine dichloride), lipid peroxidation, gluconeogenesis, antioxidants, free radical scavengers, 119
pesticide activation, chlorpyrifos, organophosphate pesticides, cholinesterase inhibitors, 191
pharmacokinetics, titanocene dichloride, antitumor agent, organ distribution, tumor disposition, 291
phencyclidine, glutathione depression, morphine, ethylketocyclazocine, DAGO (D-Ala,*N*-MePhe^4, Gly-ol^5)enkephalin, DPDPE (D-pen^2,D-pen^5)enkephalin, 267
phenelzine, allylamine, benzylamine oxidase (semicarbazide-sensitive amine oxidase), vascular smooth muscle cells, semicarbazide, deprenyl, 133

photoactivated, methemoglobin, nitrofurantoin, 5-nitrofurfural, 5-nitro-2-furoic acid, nitrite, 255
physiology, methyl isocyanate, toxicity, acid-base, histopathology, 223
platelet aggregation, inhibition, rat, crude oil, components, 35

rat, estrogen, antiestrogen, uterus, development, neonate, 201
rat, lung, fibrosis, bleomycin, model, 101
rat, platelet aggregation, inhibition, crude oil, components, 35
rat, tetramethylthiuram disulfide, thiram, long-term bioassay, 155

semicarbazide, allylamine, benzylamine oxidase (semicarbazide-sensitive amine oxidase), vascular smooth muscle cells, phenelzine, deprenyl, 133
sodium selenite, glutathione, mice, lethal toxicity, hypothermia, hyperphagia, 167
sperm chromatin, male mouse, lead, thiols, cytochemistry, 11
stress, teratology, anomalies, maternal toxicity, 57
subacute poisoning, mercury acetate, toxicological monitoring, electroretinography, cats, 67
survival period, methylmercury, mercury excretion, tissue accumulation, mouse strain, 47

teratology, cleft palate, ornithine decarboxylase, mouse, 3,3′,4,4′-tetrachloroazoxybenzene, 77
teratology, stress, anomalies, maternal toxicity, 57
3,3′,4,4′-tetrachloroazoxybenzene, cleft palate, ornithine decarboxylase, mouse, teratology, 77
2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents, bioassays, brominated aromatics, 177
tetramethylthiuram disulfide, thiram, long-term bioassay, rat, 155
thiols, cadmium toxicity, cytochrome *c* oxidase, essential metals, mitochondria, 25
thiols, male mouse, lead, sperm chromatin, cytochemistry, 11
thiram, tetramethylthiuram disulfide, long-term bioassay, rat, 155
tissue accumulation, methylmercury, survival period, mercury excretion, mouse strain, 47
titanocene dichloride, antitumor agent, organ distribution, pharmacokinetics, tumor disposition, 291
toxicity, arsenic, arsenite, Lewisite, 213
toxicity, methyl isocyanate, physiology, acid-base, histopathology, 223
toxicological monitoring, mercury acetate, subacute poisoning, electroretinography, cats, 67
tumor disposition, titanocene dichloride, antitumor agent, organ distribution, pharmacokinetics, 291

urea cycle enzymes, ammonia, hepatic encephalopathy, ATP, 2,4-dinitrophenol, CCl_4, 111
uterus, estrogen, antiestrogen, development, neonate, rat, 201

vascular smooth muscle cells, allylamine, benzylamine oxidase (semicarbazide-sensitive amine oxidase), phenelzine, semicarbazide, deprenyl, 133

Toxicolgoy, 51 (1988) 335–336
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

AUTHOR INDEX

Volume 51

Arif, A.T.	77	Jang, J.J.	155
		Jeevarathinam, K.	223
Baumann, K.	119	Johansson, L.	11
Bond, J.A.	1	Johnson, G.V.W.	299
Boor, P.J.	133		
Branham, W.S.	201	Kariv, N.	67
Brauchle, U.	291	Khan, S.	35
Bright, J.E.	213	Kleeberg, U.	281
Brown, R.F.R.	101	Klinger, W.	281
Busker, R.W.	255	Kopf-Maier, P.	291
Chaudhury, S.	35	Leung, H.-W.	1
Chem, J.J.	201	Leung, N.	241
Chernoff, N.	57	Liimatainen, A.	281
Cosma, G.N.	309		
		Marchok, A.C.	309
Drawbaugh, R.B.	101	Marrs, T.C	213
		Marrs, T.C.	101
Eroschenko, V.P.	147	Mattscheck, C.L.	57
		Mauderly, J.L.	1
Feron, V.J.	87	McClellan, R.O.	1
Furukawa, F.	155	Menke, R.F.	255
		Miller, D.B.	57
Gitter, S.	67	Millner, G.C.	267
		Mukhopadhyay, S.	223
Hannemann, J.	119	Müller, D.	281
Hanninen, O.	281	Müller, L.	25
Harris, M.	177		
Hasegawa, R.	155	Nakahara, H.	167
Hassoun, E.A.	77		
Hayashi, Y.	155	Ohba, T.	167
Henderson, R.F.	1		
Henssler, A.	291	Pardo, A.	67
Hirayama, K.	47	Paule, M.G.	267
Hutzinger, O.	177	Pellicciari, C.E.	11
Hysmith, R.M.	133		
		Rahimtula, A.D.	35
Inns, R.H.	213	Ray, U.S.	223
		Roberts, S.M.	267
Jahn, F.	281	Rodgers, K.E.	241
James, R.C.	267	Rosen, M.B.	57

Safe, S. 177
Sato, H. 155
Schutzmann, R.L. 147
Selvamurthy, W. 223
Sheehan, D.M. 201
Spit, B.J. 87
Stacey, N.H. 25
Sugihara, N. 111
Sultatos, L.G. 191
Suzuki, T. 167
Swartz, W.J. 147

Takahashi, M. 155
Thakur, L. 223
Thoma, H. 177
Toyoda, K. 155

van Henegouwen, G.M.J.B. 255
Vartiainen, T. 281
Vasbinder, W. 255

Ware, C.F. 241
Watanabe, C. 167
Wessinger, W.D. 267
Wilmer, J.W.G.M. 87
Woutersen, R.A. 87

Yamamoto, H.-A. 111
Yasutake, A. 47
Yinon, U. 67

Zacharewski, T. 177
Zehr, D.R. 201
Zwart, A. 87

Toxicology, 51 (1988) 337–339
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

CONTENTS

Volume 51 (1988)

Studies on the ability of rat lung and liver microsomes to facilitate transfer and metabolism of benzo[*a*]pyrene from diesel particles (**Both transfer and metabolism of B[*a*]P are slow in the presence of diesel particles**)
by H-W. Leung, R.F. Henderson, J.A. Bond, J.L. Mauderley and R.O. McClellan (Albuquerque, NM) 1–9

Lead-induced changes in the stabilization of the mouse sperm chromatin (**Lead seems to cause a thiol-related stabilization of the chromatin with ensuing decrease in fertility**)
by L. Johansson and C.E. Pellicciari (Pavia, Italy) 11–24

Subcellular toxicity of low level cadmium in rats: effect on cytochrome *c* oxidase (**25 μg Cd/kg lower the cytochrome *c* oxidase activity in liver mitochondria but not in kidney**)
by L. Müller and N.H. Stacey (NSW, Australia) 25–34

Comparison of the inhibitory effects of some compounds present in crude oils on rat platelet aggregation: role of intra- and extra-cellular calcium (**Some components of crude oil may inhibit platelet aggregation by altering the platelet plasma membrane**)
by S. Chaudhury, S. Khan and A.D. Rahimtula (Newfoundland, Canada) 35–46

Sex and strain differences of susceptibility to methylmercury toxicity in mice (**Resistant mice excrete more mercury in the urine and accumulate less in tissues**)
by A. Yasutake and K. Hirayama (Kumamoto, Japan) 47–55

Developmental effects of maternal stress in the CD-1 mouse induced by restraint on single days during the period of major organogenesis (**Increase in extra ribs and trends toward decreased fetal weights and increased embryolethality were fetal responses to maternal stress**)
by N. Chernoff, D.B. Miller, M.B. Rosen and C.L. Mattscheck (Research Triangle Park, NC) 57–65

Enhanced electroretinogram in cats induced by exposure to mercury acetate (**Chronic exposure to mercuric acetate causes a permanent enhancement of ERG**)
by S. Gitter, A. Pardo, N. Kariv and U. Yinon (Tel-Hashomer, Israel) 67–76

Effect of D,L-*α*-difluoromethyl ornithine on cleft palate induced by the TCDD congener, 3,3′,4,4′-tetrachloroazoxybenzene, in the fetuses of mice (**Embryotoxic effects may be related to activation of ornithine decarboxylase**)
by E.A. Hassoun and A.T. Arif (Baghdad, Iraq) 77–85

Cytotoxic and adaptive effects in rat nasal epithelium after 3-day and 13-week exposure to low concentrations of formaldehyde vapour ([^{3}H]Thymidine incorporation reveals increased cellular turnover after low levels of formaldehyde vapour)
by A. Zwart, R.A. Woutersen, J.W.G.M. Wilmer, B.J. Spit and V.J. Feron (The Netherlands) 87–99

An investigation of possible models for the production of progressive pulmonary fibrosis in the rat. The effects of repeated intratracheal instillation of bleomycin **(The histopathological changes after bleomycin are reversible and do not lead to death)**
by R.F.R. Brown, R.B. Drawbaugh and T.C. Marrs (Wright Patterson Air Force Base, OH) 101–110

Hepatic ATP content and hyperammonemia induced by CCl_4 in rats **(Hepatic encephalopathy may be caused by decreased hepatic ATP and inhibition of carbamylphosphate and argininosuccinate synthethases)**
by H.-A. Yamamoto and N. Sugihara (Hiroshima, Japan) 111–117

Cisplatin-induced lipid peroxidation and decrease of gluconeogenesis in rat kidney cortex: different effects of antioxidants and radical scavengers **(Evidence is given for lipid peroxidation and possible enzyme inhibition as mediators of cisplatin toxicity)**
by J. Hannemann and K. Baumann (Hamburg, F.R.G.) 119–132

Role of benzylamine oxidase in the cytotoxicity of allylamine toward aortic smooth muscle cells **(Inhibition of benzylamine oxidase prevents formation of distal toxins from allylamine and abolishes toxicity)**
by R.M. Hysmith and P.J. Boor (Galveston, TX) 133–145

Ovulatory response of chlordecone (Kepone)-exposed mice to exogenous gonadotropins **(Mice treated repeatedly with 8 mg/kg of chlordecone produced fewer oocytes)**
by W.J. Swartz, V.P. Eroschenko and R.L. Schutzmann (New Orleans, LA, Moscow, ID and NSTL, MS) 147–153

Carcinogenicity study of tetramethylthiuram disulfide (Thiram) in F344 rats **(No evidence for carcinogenic potential was found)**
by R. Hasegawa, M. Takahashi, F. Furukawa, K. Toyoda, H. Sato, J.J. Jang and Y. Hayashi (Tokyo, Japan) 155–165

Modification of lethal hypothermic and hyperphagic effects of sodium selenite by reduced glutathione in mice **(Lethality and hypothermic response to sodium selenite are enhanced by coadministration of GSH)**
by C. Watanabe, T. Ohba, H. Nakahara and T. Suzuki (Tokyo, Japan) 167–176

Applications of the in vitro aryl hydrocarbon hydroxylase induction assay for determining "2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents": Pyrolyzed brominated flame retardants **(A validation for use of the assay is provided)**
by T. Zacharewski, M. Harris, S. Safe, H. Thoma and O. Hutzinger (College Station, TX and Bayreuth, F.R.G.) 177–189

Factors affecting the hepatic biotransformation of the phosphorothioate pesticide chlorpyrifos **(Phenobarbital pretreatment enhances the capacity of intact liver to biotransform chlorpyrifos)**
by L.G. Sultatos (Newark, NJ) 191–200

Uterine abnormalities in rats exposed neonatally to diethylstilbestrol, ethynylestradiol, or clomiphene citrate **(Luminal epithelium hypertrophy appears to be a useful measure of antiestrogen activity)**
by W.S. Branham, D.R. Zehr, J.J. Chen and D.M. Sheehan (Jefferson, Conway and Little Rock, AR) 201–212

Comparative acute systemic toxicity of sodium arsenite and dichloro(2-chlorovinyl)arsine in rabbits **(Higher lewisite toxicity seems to be due to organic moiety)**
by R.H. Inns, J.E. Bright and T.C. Marrs (Wiltshire, UK) 213–222

Acute toxicity of methyl isocyanate, administered subcutaneously in rabbits: Changes in physiological, clinico-chemical and histological parameters **(Subcutaneously methyl isocyanate in high doses causes differential changes in clinico-chemical parameters)**
by K. Jeevarathinam, W. Selvamurthy, U.S. Ray, S. Mukhopadhyay and L. Thakur (Gwalior and Delhi Cantt, India) 223–240

Effects of acute administration of *O,S,S*-trimethyl phosphorodithioate on the generation of cellular and humoral immune responses following in vitro stimulation **(Enhancement of immune responses by DSS are rapidly reversible)**
by K.E. Rodgers, N. Leung and C.F. Ware (Riverside, CA) 241–253

Formation of methemoglobin by photoactivation of nitrofurantoin or of 5-nitrofurfural in rats exposed to UV-A light **(Photodecomposition of nitrofurantoin leads to hemoglobin oxidation presumably via nitrite formation)**
by R.W. Busker, G.M.J. Beijersbergen van Henegouwen, R.F. Menke and W. Vasbinder (Leiden, The Netherlands) 255–266

Centrally mediated opioid induced depression of hepatic glutathione: Effects of intracerebroventricular administration of Mu, Kappa, Sigma and Delta agonists **(Mu and Delta agonists are effective)**
by R.C. James, W.D. Wessinger, S.M. Roberts, G.C. Millner and M.G. Paule (Little Rock and Jefferson, AR) 267–279

Chlorinated drinking water is mutagenic and causes 3-methylcholanthrene type induction of hepatic monooxygenase **(The concentration of residues seems to lead to as yet unidentified preparations with biological effects)**
by A. Liimatainen, D. Müller, T. Vartiainen, F. Jahn, U. Kleeberg, W. Klinger and O. Hänninen (Kuopio, Finland and Jena, G.D.R.) 281–289

Organ distribution and pharmacokinetics of titanium after treatment with titanocene dichloride **(Titanium has a distribution pattern different from that of platinum and shows no accumulation in tumor tissues)**
by P. Köpf-Maier, U. Brauchle and A. Henssler (Berlin, F.R.G.) 291–298

The effects of aluminum on agonist-induced alterations in cyclic AMP and cyclic GMP concentrations in rat brain regions in vivo (Aluminum neurotoxicity may be mediated by modulation of cyclic nucleotide metabolism)
by G.V.W. Johnson (Birmingham, AL) 299–308

Benzo[a]pyrene- and formaldehyde-induced DNA damage and repair in rat tracheal epithelial cells **(Compared to the action of BAP and HCHO alone, combined treatment reduced cell growth, increased DNA single strand breaks and produced less DNA-protein crosslinks)**
by G.N. Cosma and A.C. Marchok (Oak Ridge, TN) 309–320

Announcements 321–322

Contents of journals relating to Toxicology 323–329

Subject Index Volume 51 331–334

Author Index Volume 51 335–336

Volume Contents Volume 51 337–339